


FCST-TH-SMC01 SMC TELECOM MANHOLE CHAMBER



- Strong corrosion resistance.
- Good resistance to high and low temperature.
- Easy installation.
- Convenient transportation and cost reduction.
- Long service life(30years).
- Height adjustable.

Product Size

External Size(L*W*H)	Internal Dimensions(L*W*H)	Manhole Cover Load Grade
660*520*642mm (25.985"x20.473"x25.276")	540*400*583mm (21.26"x15.749"x22.953")	B125(12.5T)/C250(25T)/D400(40T)



Ordering Information

FCST-TH-SMC01 SMC Telecom Manhole Chamber-

Frame Type

SMC01A	Stainless steel
SMC01B	SMC


Stacking Height

1	1 Layer(Standard)
2	2 Layers
...	Customized

Cover Load Grade

B125	12.5T
C250	25T
D400	40T
...	Customized

FOSC Fixed Frame Optional



Optional-1 FOSC Fixed Frame




Optional-2 FOSC Fixed Frame



Optional-3 FCST-Cross Cable Rack



Fiber Cable Solution Technology Co.,Ltd.



Overseas Agency

www.fcst.com www.micro-duct.com



FCST - Better FTTx, Better Life.

At FCST, we manufacture top-quality microduct connectors, microduct closure, telecom manhole chambers and fiber splice boxes since 2003. Our products boast superior resistance to failure, corrosion, and deposits, and are designed for high performance in extreme temperatures. We prioritize sustainability with mechanical couplers and long-lasting durability.

FCST aspires to a more connected world, believing everyone deserves access to high-speed broadband. We're dedicated to expanding globally, evolving our products, and tackling modern challenges with innovative solutions. As technology advances and connects billions more devices, FCST helps developing regions leapfrog outdated technologies with sustainable solutions, evolving from a small company to a global leader in future fiber cable needs.

Rm402 block A Watts gallop tower No.2816 YiXian Rd, BaoShan District, Shanghai 200441.

Tel:+86-21-38726791 +86-21-38726792 Fax:+86-21-38726793